L Number	Hits	Search Text	DB	Time stamp
1	5	(url or uri) with rank with keyword	USPAT; US-PGPUB;	2004/05/13 08:59
2	. 22	,	EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/05/13
		search	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	09:03
3	19	(url or uri) same rank same keyword same search	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/13
4	55	(url or uri) same keyword and rank same search same engine	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/13 09:06
5	32	(url or uri) with keyword and rank same search same engine	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/13
6	33	(url or uri) with (keyword or variable) and rank same search same engine	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/13
7	823	(url or uri) with (keyword or variable)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/13
8	86	(url or uri) with (keyword or variable) same (web with browser)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/13
9	183874	extract with (URI or URL) sane domain	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/13 09:50
10	6	extract with (URI or URL) same domain	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/13 09:53
11	676	register\$ with domain with name	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/13 09:54
12	152	register\$ with domain with name and @ad<19990901	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/13 09:55
13	20	available same register\$ with domain with name and @ad<19990901	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/13 10:51
15	640067	advertisements and table of advertis\$ and (group or groups) with categor\$ and cache	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/13 10:53

Search History 5/13/04 3:21:29 PM Page 1

		· · · · · · · · · · · · · · · · · · ·	r	1 000 1 105 155
16	15	advertisements and table with advertis\$	USPAT;	2004/05/13 10:56
		and (group or groups) with categor\$ and cache	US-PGPUB; EPO; JPO;	10:56
		Cache	DERWENT;	
			IBM TDB	
17	8	advertisements and table with advertis\$	USPAT;	2004/05/13
		and (group or groups) with categor\$ and	US-PGPUB;	10:57
		cache and @ad<19990901	EPO; JPO;	
			DERWENT;	
18	1	(advertisements or ads) and table with	IBM_TDB   USPAT;	2004/05/13
**	1	(ads or advertis\$) and (group or groups)	US-PGPUB;	10:59
		with categor\$ same (ads or	EPO; JPO;	
		advertisements) and cache and	DERWENT;	
		@ad<19990901	IBM_TDB	
19	0	(advertisements or ads) and table and	USPAT;	2004/05/13
		(group or groups) same categor\$ and cache	US-PGPUB;	10:59
		and @ad<19990901 and competition	EPO; JPO; DERWENT;	
l			IBM TDB	
20	57	(advertisements or ads) and table and	USPAT;	2004/05/13
	1	(group or groups) same categor\$ and cache	US-PGPUB;	11:00
		and @ad<19990901	EPO; JPO;	
			DERWENT;	
	40	/	IBM_TDB	2004/05/13
21	40	(advertisements) and table and (group or groups) same categor\$ and cache and	USPAT; US-PGPUB;	2004/05/13
		@ad<19990901	EPO; JPO;	14.44
		,	DERWENT;	
	ļ		IBM_TDB	
22	2	("5999912").PN.	USPAT;	2004/05/13
			US-PGPUB;	11:18
	Ì		EPO; JPO; DERWENT;	
			IBM TDB	
23	36	web near page same cache with advertise\$	USPAT;	2004/05/13
		Luga Luma Luma	US-PGPUB;	11:19
			EPO; JPO;	
	Ì		DERWENT;	
24	1		IBM_TDB	2004/05/13
24	24	web near page same cache with advertisements	USPAT; US-PGPUB;	11:19
	İ	auvercisements	EPO; JPO;	11.15
	İ		DERWENT;	
			IBM_TDB	
25	8	I were treated programme controls where	USPAT;	2004/05/13
	1	advertisements and @ad<19990901	US-PGPUB;	11:20
1			EPO; JPO; DERWENT;	
			IBM TDB	
26	2	cache near advertisements and	USPAT;	2004/05/13
		@ad<19990901	US-PGPUB;	11:23
	1		EPO; JPO;	
	}		DERWENT;	
27	12	cache near advertis\$ and @ad<19990901	IBM_TDB USPAT;	2004/05/13
- '	12	cache hear advertisa and Agd(12220201	US-PGPUB;	11:24
			EPO; JPO;	==
			DERWENT;	
	1		IBM_TDB	
28	2	("6430624").PN.	USPAT;	2004/05/13
			US-PGPUB; EPO; JPO;	11:25
			DERWENT;	
			IBM TDB	
29	2	("5882759").PN.	USPAT;	2004/05/13
			US-PGPUB;	11:26
			EPO; JPO;	
			DERWENT;	
			IBM TDB	

20		(#C1101C7#) DV	Tugpan	2004/05/12
30	2	("6119167").PN.	USPAT; US-PGPUB;	2004/05/13
			EPO; JPO;	11.27
			DERWENT;	
			IBM TDB	
31	2	("6484143").PN.	USPAT;	2004/05/13
			US-PGPUB;	11:30
			EPO; JPO;	
			DERWENT; IBM TDB	
32	4305	cache same bandwidth	USPAT;	2004/05/13
32	1303	Cache Bane Banawiati	US-PGPUB;	11:31
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/05/10
33	81	cache with files same bandwidth	USPAT;	2004/05/13
			US-PGPUB; EPO; JPO;	11:31
			DERWENT;	
			IBM TDB	
34	67	server and cache with files same	USPAT;	2004/05/13
		bandwidth	US-PGPUB;	11:31
			EPO; JPO;	
			DERWENT;	
35	16	server and cache with files same	IBM_TDB USPAT;	2004/05/13
33	10	bandwidth and @ad<19990901	US-PGPUB;	11:33
		banawia ana caa (13330301	EPO; JPO;	11.00
			DERWENT;	
			IBM_TDB	
36	188	cache near (files or advertise\$) and	USPAT;	2004/05/13
		@ad<19990901	US-PGPUB;	11:36
			EPO; JPO; DERWENT;	]
			IBM TDB	1
37	27	cache near (files or advertise\$) and	USPAT;	2004/05/13
		@ad<19990901 and web near server	US-PGPUB;	12:51
			EPO; JPO;	
			DERWENT;	
38	7	because and seems near engine near	IBM_TDB USPAT;	2004/05/13
30	/	keywords and search near engine near request with URL	US-PGPUB;	12:56
		request with one	EPO; JPO;	12.00
			DERWENT;	
			IBM_TDB	
39	3	9	USPAT;	2004/05/13
		(terms or words)	US-PGPUB; EPO; JPO;	12:57
			DERWENT;	
			IBM TDB	
40	41	generat\$ same keywords same search near	USPAT;	2004/05/13
		(terms or words) and search with engine	US-PGPUB;	12:58
			EPO; JPO;	
ļ			DERWENT;	
41	35	generat\$ same keywords same search near	IBM_TDB USPAT;	2004/05/13
11	33	(terms or words) and search with engine	US-PGPUB;	13:48
		and internet	EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
42	2	("4062544").PN.	USPAT;	2004/05/13
			US-PGPUB;	13:48
			EPO; JPO; DERWENT;	
ļ			IBM TDB	
47	6	advertis\$ with google	USPAT;	2004/05/13
ł			US-PGPUB;	14:09
1			EPO; JPO;	
1			DERWENT;	
			IBM TDB	

48	893	keyword\$ with search near engine	USPAT;	2004/05/13
ŀ			US-PGPUB;	14:10
			EPO; JPO;	
			DERWENT;	
1.0	1		IBM_TDB	
49	105	keyword\$ with search near engine same	USPAT;	2004/05/13
		request	US-PGPUB;	14:17
			EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	
50	0	google and "did you mean"	USPAT;	2004/05/13
			US-PGPUB;	14:17
			EPO; JPO;	
	İ		DERWENT;	
			IBM_TDB	
51	53	search with engine and suggest\$ with	USPAT;	2004/05/13
		keyword\$	US-PGPUB;	14:26
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
52	413	search with request with keyword\$	USPAT;	2004/05/13
			US-PGPUB;	14:26
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
53	52	search with request with keyword\$ same	USPAT;	2004/05/13
		(URI or URL)	US-PGPUB;	14:28
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
54	12	search with request with keyword\$ same	USPAT;	2004/05/13
		(URI or URL) and @ad<19990901	US-PGPUB;	14:50
}			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
55	101	search with request with keyword\$ and	USPAT;	2004/05/13
		@ad<19990901	US-PGPUB;	14:38
			EPO; JPO;	•
			DERWENT;	6
	_		IBM_TDB	
56	2	("4972349").PN.	USPAT;	2004/05/13
			US-PGPUB;	14:38
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
57	2	6286053.URPN.	USPAT	2004/05/13
		(NEE 1115 ON   NEOS 5 15 ON   125		14:41
58	2	("5511159"   "5956490").PN.	USPAT	2004/05/13
		,		14:41
59	1713	search near engine and keyword\$ and	USPAT;	2004/05/13
1		(suggest\$ with keyword\$) or (more with	US-PGPUB;	14:51
		keywords)	EPO; JPO;	
			DERWENT;	
1.00	4.54		IBM_TDB	0004/05/55
60	1713	search near engine and (suggest\$ with	USPAT;	2004/05/13
		keyword\$) or (more with keywords)	US-PGPUB;	14:52
			EPO; JPO;	
			DERWENT;	
61		1	IBM_TDB	0004/05/20
61	22	keywords and search near engine near	USPAT;	2004/05/13
1		requests	US-PGPUB;	14:52
			EPO; JPO;	
			DERWENT;	
	24242	//IDT and IDT and IDT	IBM_TDB	0004/05/50
-	24940	(URL or URI or URN or (uniform near	USPAT;	2004/05/12
Ì		resource near location) or (resource near	US-PGPUB;	09:51
		request)) and (pars\$ or read or generat\$	EPO; JPO;	
		or pull)	DERWENT;	
I			IBM_TDB	I

Comparison of the content of the c	12
request)) and (pars\$ or read or generat\$ or pull) and content same first same second  (URL or URI or URN or (uniform near request)) with (pars\$ or generat\$ or extract) and content same first same (USPAT; pesource near location) or (resource near request)) with (pars\$ or generat\$ or extract) and content same first same (USPAT; pesource near location) or (resource near request)) with (pars\$ or generat\$ or extract) and content same first same second and HTML (URL or URI or URN or (uniform near resource near location) or (resource near location) or (resource near request)) with (pars\$ or generat\$ or extract) and content same first same second and HTML (URL or URI or URN or (uniform near request)) with (pars\$ or generat\$ or extract) and content same first same second and HTML and advertis\$ with table (URL or URI or URN or (uniform near resource near location) or (resource near location) or	12
or pull) and content same first same second  (URL or URI or URN or (uniform near resource near location) or (resource near US-PGPUB; extract) and content same first same second  (URL or URI or URN or (uniform near request)) with (pars\$ or generat\$ or extract) and content same first same usecond (URL or URI or URN or (uniform near request)) with (pars\$ or generat\$ or extract) and content same first same second and HTML (URL or URI or URN or (uniform near resource near location) or (resource near request)) with (pars\$ or generat\$ or extract) and content same first same usecond and HTML (URL or URI or URN or (uniform near request)) with (pars\$ or generat\$ or extract) and content same first same second and HTML and advertis\$ with table (URL or URI or URN or (uniform near request)) with (pars\$ or generat\$ or extract) and content and HTML and dynamic with content (URL or URI or URN or (uniform near request)) with (pars\$ or generat\$ or extract) and content and HTML and dynamic with content (URL or URI or URN or (uniform near request)) with (pars\$ or generat\$ or extract) and content and HTML and dynamic with content (URL or URI or URN or (uniform near request)) with (pars\$ or generat\$ or extract) and content and HTML and dynamic with content (URL or URI or URN or (uniform near request)) with (pars\$ or generat\$ or extract) and content and HTML and dynamic with content (URL or URI or URN or (uniform near request)) with (pars\$ or generat\$ or extract) and content and HTML and dynamic with content (URL or URI or URN or (uniform near request)) with (pars\$ or generat\$ or extract) and content and HTML and dynamic with content (URL or URI or URN or (uniform near request)) with (pars\$ or generat\$ or extract) and content and HTML and dynamic with content (URL or URI or URN or (uniform near request)) with (pars\$ or generat\$ or extract) and content and HTML and dynamic with content (URL or URI or URN or (uniform near request)) with (pars\$ or generat\$ or extract) and content and HTML and dynamic with content (URL or URI or URN or (u	12
second (URL or URI or URN or (uniform near resource near location) or (resource near l	12
- 618 (URL or URI or URN or (uniform near resource near location) or (resource near USPĀT; veyousch) with (pars\$ or generat\$ or extract) and content same first same second (URL or URI or URN or (uniform near request)) with (pars\$ or generat\$ or extract) and content same first same usecond and HTML (URL or URI or URN or (uniform near resource near location) or (resource near uspace) with (pars\$ or generat\$ or extract) and content same first same second and HTML (URL or URI or URN or (uniform near request)) with (pars\$ or generat\$ or extract) and content same first same second and HTML and advertis\$ with table (URL or URI or URN or (uniform near request)) with (pars\$ or generat\$ or extract) and content or (resource near location) or (resource near lo	12
resource near location) or (resource near request)) with (pars\$ or generat\$ or extract) and content same first same second  WILL or URI or URN or (uniform near request)) with (pars\$ or generat\$ or extract) and content same first same second and HTML  (URL or URI or URN or (uniform near request)) with (pars\$ or generat\$ or resource near location) or (resource near request)) with (pars\$ or generat\$ or resource near location) or (resource near request)) with (pars\$ or generat\$ or extract) and content same first same second and HTML and advertis\$ with table (URL or URI or URN or (uniform near request)) with (pars\$ or generat\$ or resource near location) or (resource near US-PGPUB; lbm_TDB USPAT; lbm_TDB USPAT; location) or (resource near location) or (r	12
request)) with (pars\$ or generat\$ or extract) and content same first same  - 489  (URL or URI or URN or (uniform near resource near location) or (resource near request)) with (pars\$ or generat\$ or extract) and content same first same second and HTML and advertis\$ with table (URL or URI or URN or (uniform near request)) with (pars\$ or generat\$ or extract) and content same first same second and HTML and advertis\$ with table (URL or URI or URN or (uniform near request)) with (pars\$ or generat\$ or extract) and content and HTML and dynamic with content (URL or URI or URN or (uniform near request)) with (pars\$ or generat\$ or extract) and content and HTML and dynamic with content (URL or URI or URN or (uniform near resource near location) or (resource near US-PGPUB; location) or (resource nea	12
extract) and content same first same second  (URL or URI or URN or (uniform near resource near location) or (resource near request)) with (pars\$ or generat\$ or extract) and content same first same second and HTML (URL or URI or URN or (uniform near resource near location) or (resource near request)) with (pars\$ or generat\$ or extract) and content same first same request)) with (pars\$ or generat\$ or extract) and content same first same second and HTML and advertis\$ with table (URL or URI or URN or (uniform near resource near location) or (resource near request)) with (pars\$ or generat\$ or extract) and content and HTML and dynamic with content (URL or URI or URN or (uniform near request)) with (pars\$ or generat\$ or extract) and content and HTML and dynamic with content (URL or URI or URN or (uniform near resource near location) or (resource near (US-PGPUB; DERWENT; IBM_TDB US-PGPUB; DERWENT; US-PGPUB; DERWENT; IBM_TDB US-PGPUB; DEWENT; IBM_TDB US-PGPUB; DERWENT;	12
second (URL or URI or URN or (uniform near request)) with (pars\$ or generat\$ or extract) and content same first same second and HTML (URL or URI or URN or (uniform near request)) with (pars\$ or generat\$ or extract) and content same first same second and HTML (URL or URI or URN or (uniform near request)) with (pars\$ or generat\$ or extract) and content same first same second and HTML and advertis\$ with table (URL or URI or URN or (uniform near request)) with (pars\$ or generat\$ or extract) and content or (resource near request)) with (pars\$ or generat\$ or extract) and content and HTML and dynamic with content  33 (URL or URI or URN or (uniform near resource near location) or (resource near US-PGPUB; lbm_TDB USPAT; resource near location) or (resource near US-PGPUB; lbm_TDB USPAT; resource near location) or (resource near US-PGPUB; lbm_TDB USPAT; resource near location) or (resource near US-PGPUB; lbm_TDB USPAT; resource near location) or (resource near US-PGPUB; lbm_TDB USPAT; resource near location) or (resource near US-PGPUB; lbm_TDB USPAT; resource near location) or (resource near US-PGPUB; lbm_TDB USPAT; resource near location) or (resource near US-PGPUB; lbm_TDB USPAT; l	12
- 489 (URL or URI or URN or (uniform near resource near location) or (resource near us) with (pars\$ or generat\$ or extract) and content same first same second and HTML second and HTML (URL or URI or URN or (uniform near request)) with (pars\$ or generat\$ or extract) and content same first same request)) with (pars\$ or generat\$ or extract) and content same first same second and HTML and advertis\$ with table (URL or URI or URN or (uniform near resource near location) or (resource near us) With (pars\$ or generat\$ or request)) with (pars\$ or generat\$ or extract) and content and HTML and dynamic with content (URL or URI or URN or (uniform near request)) with (pars\$ or generat\$ or extract) and content and HTML and dynamic with content (URL or URI or URN or (uniform near resource near location) or (resource near Us) DERWENT; IBM_TDB (URL or URI or URN or (uniform near resource near location) or (resource near Us) DERWENT; resource near location) or (resource near Us) DERWENT; resource near location) or (resource near Us) DERWENT; resource near location) or (resource near Us) DERWENT; resource near location) or (resource near Us) DERWENT; lbM_TDB (URL or URI or URN or (uniform near resource near location) or (resource near Us) DERWENT; lbM_TDB (US) DERWENT; lbM_TDB	12
resource near location) or (resource near request)) with (pars\$ or generat\$ or extract) and content same first same second and HTML  26 (URL or URI or URN or (uniform near request)) with (pars\$ or generat\$ or extract) and content same first same second and HTML and advertis\$ with table (URL or URI or URN or (uniform near request)) with (pars\$ or generat\$ or extract) and content same first same second and HTML and advertis\$ with table (URL or URI or URN or (uniform near request)) with (pars\$ or generat\$ or extract) and content and HTML and dynamic with content  33 (URL or URI or URN or (uniform near resource near location) or (resource nea	12
extract) and content same first same second and HTML  26 (URL or URI or URN or (uniform near resource near location) or (resource near request)) with (pars\$ or generat\$ or extract) and content same first same second and HTML and advertis\$ with table (URL or URI or URN or (uniform near resource near location) or (resource near request)) with (pars\$ or generat\$ or extract) and content and HTML and dynamic with content  USPAT; US-PGPUB; EPO; JPO; DERWENT; DERWENT; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; DERWENT; DERWENT; US-PGPUB; EPO; JPO; DERWENT; DERWEN	
extract) and content same first same second and HTML  26 (URL or URI or URN or (uniform near resource near location) or (resource near request)) with (pars\$ or generat\$ or extract) and content same first same second and HTML and advertis\$ with table (URL or URI or URN or (uniform near resource near location) or (resource near request)) with (pars\$ or generat\$ or extract) and content and HTML and dynamic with content  USPAT; US-PGPUB; EPO; JPO; DERWENT; DERWENT; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; DERWENT; DERWENT; US-PGPUB; EPO; JPO; DERWENT; DERWEN	
- 26 (URL or URI or URN or (uniform near resource near location) or (resource near us-pgpuB; request)) with (pars\$ or generat\$ or extract) and content same first same second and HTML and advertis\$ with table (URL or URI or URN or (uniform near request)) with (pars\$ or generat\$ or request)) with (pars\$ or generat\$ or extract) and content and HTML and dynamic with content  - 33 (URL or URI or URN or (uniform near resource near location) or (resource near lbc, JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB uspart; IBM_T	
resource near location) or (resource near request)) with (pars\$ or generat\$ or extract) and content same first same second and HTML and advertis\$ with table (URL or URI or URN or (uniform near resource near location) or (resource near location) or (resou	
request)) with (pars\$ or generat\$ or extract) and content same first same second and HTML and advertis\$ with table (URL or URI or URN or (uniform near resource near location) or (resource near USPAT; ustract) with (pars\$ or generat\$ or extract) and content and HTML and dynamic with content (URL or URI or URN or (uniform near resource near location) or (resource near USPAT; ustract) and content and HTML and dynamic with content (URL or URI or URN or (uniform near resource near location) or (resource near USPAT; ustract) with (pars\$ or generat\$ or EPO; JPO; location) or (resource near	12
extract) and content same first same second and HTML and advertis\$ with table  (URL or URI or URN or (uniform near resource near location) or (resource near request)) with (pars\$ or generat\$ or extract) and content and HTML and dynamic with content (URL or URI or URN or (uniform near resource near location) or (resource near resource near location) or (resource near request)) with (pars\$ or generat\$ or EPO; JPO;  US-PGPUB; 10:22 request)) with (pars\$ or generat\$ or EPO; JPO;	12
second and HTML and advertis\$ with table  (URL or URI or URN or (uniform near resource near location) or (resource near USPAT; request)) with (pars\$ or generat\$ or extract) and content and HTML and dynamic with content  (URL or URI or URN or (uniform near resource near location) or (resource near USPAT; US-PGPUB; lo:22 request)) with (pars\$ or generat\$ or EPO; JPO;	12
- 401 (URL or URI or URN or (uniform near resource near location) or (resource near uspat; request)) with (pars\$ or generat\$ or extract) and content and HTML and dynamic with content (URL or URI or URN or (uniform near resource near location) or (resource near uspat; uspat; uspat; request)) with (pars\$ or generat\$ or uspat; uspat	12
resource near location) or (resource near request)) with (pars\$ or generat\$ or extract) and content and HTML and dynamic with content  (URL or URI or URN or (uniform near resource near location) or (resource near US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; 2004/05/resource near location) or (resource near US-PGPUB; request)) with (pars\$ or generat\$ or EPO; JPO;	12
request)) with (pars\$ or generat\$ or extract) and content and HTML and dynamic with content  (URL or URI or URN or (uniform near resource near location) or (resource near US-PGPUB; request)) with (pars\$ or generat\$ or EPO; JPO;	
extract) and content and HTML and dynamic   DERWENT;   IBM_TDB   USPAT;   2004/05/resource near location) or (resource near   US-PGPUB;   10:22   request)) with (pars\$ or generat\$ or   EPO; JPO;	
with content (URL or URI or URN or (uniform near resource near location) or (resource near USPAT; us-PGPUB; request)) with (pars\$ or generat\$ or EPO; JPO;	
- 33 (URL or URI or URN or (uniform near resource near location) or (resource near USPAT; 2004/05/request)) with (pars\$ or generat\$ or EPO; JPO;	
resource near location) or (resource near US-PGPUB; request)) with (pars\$ or generat\$ or EPO; JPO;	12
request)) with (pars\$ or generat\$ or EPO; JPO;	• •
extract) same dynamic with content and DERWENT;	
HTML IBM TDB	
- 195 (URL or URI or URN or (uniform near USPAT; 2004/05/	12
resource near location) or (resource near US-PGPUB; 10:22	
request)) with (pars\$ or generat\$ or EPO; JPO;	
extract) same advertis\$ DERWENT;	
IBM_TDB	
- 95 (URL or URI or URN or (uniform near USPAT; 2004/05/	12
resource near location) or (resource near US-PGPUB; 10:44	
request)) with (pars\$ or generat\$ or EPO; JPO;	
extract) with advertis\$ DERWENT;	
IBM_TDB	12
resource near location) or (resource near US-PGPUB; 10:56	
request)) with (pars\$ or extract) same   EPO; JPO;	
generat\$ with content DERWENT;	
IBM TDB	
- 5691 receiv\$ with (URL or URI) USPAT; 2004/05/	12
US-PGPUB; 10:56	
EPO; JPO;	
DERWENT;	
IBM_TDB	
- 1088 receiv\$ with (URL or URI) and (pars\$ or USPAT; 2004/05/	12
extract\$) with (URL or URI) US-PGPUB; 10:57	
EPO; JPO;	
DERWENT;	
IBM_TDB	1.2
- 369 receiv\$ with (URL or URI) and (pars\$ or USPAT; 2004/05/extract\$) with (URI or URI) and generat\$ US-PGPUB; 10:57	L Z
extract\$) with (URL or URI) and generat\$ US-PGPUB; 10:57 same content	
Same content EPO, SPO; DERWENT;	
IBM TDB	
- 314 receiv\$ with (URL or URI) and (pars\$ or USPAT; 2004/05/	12
extract\$) with (URL or URI) and generat\$ US-PGPUB; 10:58	
same content and HTML EPO; JPO;	
DERWENT;	
IBM TDB	
- 147 receiv\$ with (URL or URI) and (pars\$ or USPAT; 2004/05/	12
extract\$) with (URL or URI) and generat\$ US-PGPUB; 10:58	
same content and HTML and advertis\$ EPO; JPO;	
DERWENT;	
IBM TDB	

-	39	receiv\$ with (URL or URI) and (pars\$ or	USPAT;	2004/05/12
		extract\$) with (URL or URI) and generat\$ same content and HTML and advertis\$ and	US-PGPUB;	10:58
		keyword	EPO; JPO; DERWENT;	
		keyword	IBM TDB	
_	53	receiv\$ with (URL or URI) and (pars\$ or	USPAT;	2004/05/12
	""	extract\$) with (URL or URI) and generat\$	US-PGPUB;	11:47
		same content and HTML and advertis\$ and	EPO; JPO;	1 1 1 1 1
		keyword\$	DERWENT;	
		•	IBM TDB	
-	2	("6009459").PN.	USPĀT;	2004/05/12
			US-PGPUB;	11:01
			EPO; JPO;	
			DERWENT;	
	8	/!! 4774655!   !!5504010!!   !!5640196!!	IBM_TDB USPAT	2004/05/12
-	•	("4774655"   "5594910"   "5649186"     "5659729"   "5659732"   "5706507"	USPAT	2004/05/12 11:01
		"5768578"   "5907680").PN.		11.01
_	20		USPAT	2004/05/12
	20			11:01
-	8182	receiv\$ with (request or URL) same	USPAT;	2004/05/12
		content	US-PGPUB;	11:47
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/65/55
-	319		USPAT;	2004/05/12
		content and markup and HTML and head\$ and	US-PGPUB;	12:59
		title	EPO; JPO;	
			DERWENT; IBM TDB	
_	821	receiv\$ with (request or URL) same	USPAT;	2004/05/12
1	021	content and markup and HTML and head\$ and	US-PGPUB;	13:00
		title ((read or extract or pars\$) near	EPO; JPO;	
		URL)	DERWENT;	
			IBM_TDB	
-	65		USPAT;	2004/05/12
		content and markup and HTML and ((read or	US-PGPUB;	13:01
	1	extract or pars\$) near URL)	EPO; JPO;	
	1		DERWENT; IBM TDB	·
_	4699	Ong	USPAT;	2004/05/12
	1000	City	US-PGPUB;	13:01
			EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
-	0	(2002/0156800).CCLS.	USPAT;	2004/05/12
			US-PGPUB;	13:01
	1		EPO; JPO;	
			DERWENT; IBM TDB	
_	2	("20020156800").PN.	USPAT;	2004/05/12
		, , , , , , , , , , , , , , , , , , , ,	US-PGPUB;	13:18
	1		EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
-	0	(09/201,750).CCLS.	USPAT;	2004/05/12
			US-PGPUB;	13:18
	1		EPO; JPO;	
			DERWENT; IBM TDB	
_	9	("9201,750").PN.	USPAT;	2004/05/12
		(, , , , , , , , , , , , , , , , ,	US-PGPUB;	13:18
			EPO; JPO;	
	1		DERWENT;	
	1		IBM_TDB	
-	9	("9201750").PN.	USPAT;	2004/05/12
	1		US-PGPUB;	13:19
	1		EPO; JPO;	
	1		DERWENT;	
1		L	IBM_TDB	l

				· · · · · · · · · · · · · · · · · · ·
-	70	(pars\$ or extract\$) with URL with keyword	USPAT;	2004/05/12
			US-PGPUB;	14:26
			EPO; JPO;	
			DERWENT;	
_	0	(pars\$ or extract\$ or generat\$ or build)	IBM_TDB USPAT;	2004/05/12
		with "from URL" with keyword	US-PGPUB;	14:19
		with from one with reguota	EPO; JPO;	11.15
1			DERWENT;	i
			IBM TDB	
-	17	one with click and hosain and alam	USPAT;	2004/05/12
			US-PGPUB;	14:23
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1406	one adj click	USPAT;	2004/05/12
			US-PGPUB;	14:34
			EPO; JPO;	
1			DERWENT;	
_	2	("5913215").PN.	IBM_TDB USPAT;	2004/05/12
	_	( 3913213 ).FN.	US-PGPUB;	14:23
İ			EPO; JPO;	
	]		DERWENT;	
			IBM TDB	
-	2	("5905492").PN.	USPAT;	2004/05/12
	_		US-PGPUB;	14:24
			EPO; JPO;	
			DERWENT;	1
			IBM_TDB	
-	1	one adj click and hosain	USPAT;	2004/05/12
			US-PGPUB;	14:24
			EPO; JPO;	
			DERWENT;	
1_		   (pars\$ or extract\$) with from near URL	IBM_TDB USPAT;	2004/05/12
		with keyword	US-PGPUB;	14:39
		with reyword	EPO; JPO;	11.33
			DERWENT;	
1			IBM TDB	
-	0	(pars\$ or extract\$ or generat\$ or creat\$	USPAT;	2004/05/12
		or compos\$) with from near URL with	US-PGPUB;	14:26
1		keyword	EPO; JPO;	
1			DERWENT;	
			IBM_TDB	2004/05/10
-	0	(pars\$ or extract\$ or generat\$ or creat\$	USPAT;	2004/05/12
1		or compos\$) with from near URL	US-PGPUB; EPO; JPO;	14:26
1	1		DERWENT;	
	]		IBM TDB	
-	2	("5870767").PN.	USPAT;	2004/05/12
1		,, ,	US-PGPUB;	14:38
			EPO; JPO;	
1			DERWENT;	
1			IBM_TDB	
-	0	ppqq.com	USPĀT;	2004/05/12
			US-PGPUB;	14:38
			EPO; JPO;	
			DERWENT;	
	.	ng	IBM_TDB	2004/05/12
1	1	pq.com	USPAT; US-PGPUB;	2004/05/12 14:38
			EPO; JPO;	11.30
			DERWENT;	
			IBM TDB	
-	0	(pars\$ or extract\$ or generat\$ or	USPAT;	2004/05/12
1	1	search\$) with from near URL	US-PGPUB;	14:40
1			EPO; JPO;	
			DERWENT;	
		<u> </u>	IBM_TDB	

_	51	(pars\$ or extract\$ or generat\$ or search\$) near URL with keyword	USPAT; US-PGPUB;	2004/05/12 14:50
			EPO; JPO; DERWENT; IBM TDB	
-	0	20020113818.URPN.	USPAT	2004/05/12 14:47
-	1071	<pre>(pars\$ or extract\$ or generat\$ or search\$) near URL and ((web near server) or (web near site))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/12 14:50
-	325	(pars\$ or extract\$ or generat\$ or search\$) near URL same ((web near server) or (web near site))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/12 14:51
_	51	(pars\$ or extract\$ or generat\$ or search\$) near (URL or URI) same ((web near server) or (web near site)) and keyword	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/12 15:00
_	15	weather.com	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/05/12 15:00
_	1	php.net	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/05/12 15:05
_	92	(URL or URI) with (shortcut\$ or trick\$)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/05/12 15:11
_	83	(URL or URI or (web near address) or (web near link)) with (shortcut\$)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/05/12 15:13
-	810	(URL or URI or (web near address) or (web near link)) with component	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/12 15:13
_	196	(URL or URI or (web near address) or (web near link)) with component same (generat\$ or pars\$ or extract)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/12 15:13
_	80	(URL or URI or (web near address) or (web near link)) with component with (generat\$ or pars\$ or extract)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/12 15:35
_	2	("20030120779").PN.	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/05/12 15:39
-	131	extract near2 (URL or URI)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/05/12 15:39
_	16	extract near2 (URL or URI) with key	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/05/12 15:48
			DERWENT; IBM_TDB	

-	23	(extract or pars\$) near2 (URL or URI)	USPAT;	2004/05/12
		with key	US-PGPUB;	15:53
			EPO; JPO;	
			DERWENT;	
1_	2	("5988008").PN.	IBM_TDB	2004/05/12
-		( 3988008 ).PN.	USPAT; US-PGPUB;	15:55
			EPO; JPO;	15.55
			DERWENT;	
			IBM TDB	
1_	297	php and search	USPAT;	2004/05/12
		Prip and content	US-PGPUB;	15:55
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	28	php same search	USPAT;	2004/05/12
	ŀ		US-PGPUB;	16:04
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	53	google.com	USPAT;	2004/05/12
			US-PGPUB;	16:07
			EPO; JPO;	
			DERWENT;	
		TYPE COLAR COLUMN 12	IBM_TDB	2004/05/20
-	349	URL with variable	USPAT;	2004/05/12
			US-PGPUB;	16:07
			EPO; JPO;	
			DERWENT;	
_	42	URL with variable and keyword and ((web	IBM_TDB	2004/05/12
-	32	near server) or (web near site))	USPAT; US-PGPUB;	16:10
	-	Hear Server, or (web hear site)	EPO; JPO;	1 10.10
			DERWENT;	
			IBM TDB	]
_	30	URL with variable same (pars\$ or	USPAT;	2004/05/12
		extract\$)	US-PGPUB;	16:28
			EPO; JPO;	
1			DERWENT;	
			IBM TDB	
-	0	"google.com?q="	USPAT;	2004/05/12
			US-PGPUB;	16:29
1			EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
-	0	google.com\?q\=\$	USPAT;	2004/05/12
1			US-PGPUB;	16:29
			EPO; JPO;	
1			DERWENT;	
_	1317	search with ongine same //web mass	IBM_TDB	2004/05/12
_	131/	search with engine same ((web near server) or (web near site))	USPAT; US-PGPUB;	16:30
	-	SOLVET! OF /MED HEAT STOE!!	EPO; JPO;	10.30
			DERWENT;	
			IBM TDB	
-	1317	(search with engine) same ((web near	USPAT;	2004/05/12
		server) or (web near site))	US-PGPUB;	16:30
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	9	extract with advertis\$ with URL	USPAT;	2004/05/12
		,	US-PGPUB;	16:36
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	extract with from with URL	USPAT;	2004/05/12
			US-PGPUB;	16:36
	1		EPO; JPO;	
	1		DERWENT;	
L	l		IBM_TDB	

				1 0 0 0 1 1 0 5 1 0 0 0 0 0 0 0 0 0 0 0
-	348	extract with URL	USPAT;	2004/05/12
			US-PGPUB;	16:37
			EPO; JPO; DERWENT;	
	İ		IBM TDB	
l _	1	extract with URL with variable	USPAT;	2004/05/12
	1	extract with one with variable	US-PGPUB;	16:38
			EPO; JPO;	10.00
			DERWENT;	
			IBM TDB	
-	3	extract with URL with variable\$	USPAT;	2004/05/12
ļ			US-PGPUB;	16:39
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	30	(extract\$ or pull\$ or pars\$ or transla\$)	USPAT;	2004/05/12
	1	with URL with variable\$	US-PGPUB;	17:19
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/05/12
<b>-</b>	35	(URI or URL) with variabl\$ same search	USPAT;	2004/05/12
			US-PGPUB;	18:04
			EPO; JPO; DERWENT;	
			IBM TDB	
_	180908	domain name same available same	USPAT;	2004/05/12
_	100308	registration	US-PGPUB;	18:04
		legistiation	EPO; JPO;	10.01
			DERWENT;	
			IBM TDB	
_	60	domain near name same available same	USPAT;	2004/05/12
		registration	US-PGPUB;	18:05
		20922024020	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	146	domain near name same available same	USPĀT;	2004/05/12
		regist\$	US-PGPUB;	18:05
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	71	domain near name same available with	USPAT;	2004/05/12
		regist\$	US-PGPUB;	18:18
		•	EPO; JPO;	
			DERWENT;	
1		/#5475507#   #5700020#   #5777000#	IBM_TDB	2004/05/12
-	9		USPAT	2004/05/12 18:06
		"5884246"   "5974453"   "6085321"		10.00
_	13	"6092100"   "6125395"   "6169976").PN.   ("5978842"   "6009459"   "6014660"	USPAT	2004/05/12
_	13	("5978842"   "6009439"   "6014880"     "6023724"   "6085242"   "6092100"	1 22571	18:08
		"6148289"   "6119234"   "6134588"		1 20.00
		"6148289		
		"6212565").PN.		
_	7	6338082.URPN.	USPAT	2004/05/12
	·			18:08
_	5764	(domain near name or address or (web near	USPAT;	2004/05/12
		address)) same available with regist\$	US-PGPUB;	18:18
	1		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	5764	, , ,	USPĀT;	2004/05/12
		near address)) same available with	US-PGPUB;	18:19
		regist\$	EPO; JPO;	
1			DERWENT;	
			IBM_TDB	2004/05/12
-	3008		USPAT;	2004/05/12
		near address)) with available with	US-PGPUB;	18:19
		regist\$	EPO; JPO;	
			DERWENT;	
	<u> </u>		IBM TDB	

18:19  2004/05/12 18:22  2004/05/12 18:20  2004/05/12 18:22
18:22 2004/05/12 18:20 2004/05/12
18:22 2004/05/12 18:20 2004/05/12
18:22 2004/05/12 18:20 2004/05/12
18:22 2004/05/12 18:20 2004/05/12
2004/05/12 18:20 2004/05/12
18:20
18:20
18:20
18:20
2004/05/12
TU . 4.4.
2004/05/12
18:24
2004/05/12
18:27
10.11
2004/05/12
18:25
10.20
2004/05/13
08:55
2004/05/12
18:30
10.30